




# Prime Life

ISO 9001:2008 CERTIFIED COMPANY

## HYDRAULIC JACK & ACCESSORIES

WE SERVE  
**BEST** QUALITY



**WORLD CLASS HYDRAULIC CYLINDER**



# Prime Life

ISO 9001:2008 CERTIFIED COMPANY



## Dozer Hydraulic Cylinder

---

- Cylinder Size : 75 mm X 90 mm  
horned tube
- Ram Size : 50 mm  
micro finished grinding  
hard chrome plated
- Stroke : 609 mm
- Pin Center : 7" (178 mm)  
(pin to trunnion)
- Oil Seal : Technolan / Hallite



## Dozer Hydraulic Cylinder

---

- Cylinder Size : 63 mm X 75 mm / horned tube
- Ram Size : 40 mm / micro finished grinding  
hard chrome plated
- Pin Center : 18" (457 mm)  
(pin to trunnion)
- Close Center : 30" (762 mm)  
(Top to Bottom)
- Stroke : 21" (533 mm)
- Oil Seal : Technolan / Hallite



## Loader Hydraulic Cylinder

---

- Cylinder Size : 70 mm X 84 mm
- Ram Size : 45 mm  
micro finished grinding  
hard chrome plated
- Close Center : 48" (1219 mm)
- Close Center : 30" (762 mm)  
And also specification and  
size are developed as per  
requirement



## Front Dozer Hydraulic Cylinder

---

- Cylinder Size : 60 mm X 75 mm / horned tube
- Ram Size : 30/36 mm / micro finished grinding  
hard chrome plated
- Close Center : 24" (609 mm)
- Stroke : 12" (305 mm)
- Oil Seal : Technolan / Hallite



**3/15 - TON 26"**

Cylinder Size : OD 114 mm x ID 100 mm  
 Length : 21.5" (546 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 19.5" (495mm)  
 Ram : OD 49.5 mm  
 Length : 20" (508 mm)  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**3/15 - TON 33"**

OD 114 mm x ID 100 mm  
 28" (711 mm)  
 OD 86.7 mm x ID 76 mm  
 26" (660mm)  
 OD 49.5 mm  
 26.5" (673 mm)  
 33" (838 mm)  
 Top 32.5 mm x Bottom 38 mm  
 U Seal / Canvas / PU  
 Telescopic



**5 - TON 26"**

Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 21.5" (546 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 19.5" (495mm)  
 Ram : OD 49.5 mm  
 Length : 20" (508 mm)  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**5 - TON 33"**

OD 127 mm x ID 111 mm  
 28" (711 mm)  
 OD 86.7 mm x ID 76 mm  
 26" (660mm)  
 OD 49.5 mm  
 26.5" (673 mm)  
 33" (838 mm)  
 Top 32.5 mm x Bottom 38 mm  
 U Seal / Canvas / PU  
 Telescopic



**8/10 - TON 26"**

Cylinder Size : OD 140 mm x ID 125 mm  
 Length : 21.5" (546 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 19.5" (495mm)  
 Ram : 49.5 mm  
 Length : 20" (508 mm)  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**8/10 - TON 33"**

OD 140 mm x ID 125 mm  
 28" (711 mm)  
 OD 86.7 mm x ID 76 mm  
 26" (660mm)  
 49.5 mm  
 26.5" (673 mm)  
 33" (838 mm)  
 Top 32.5 mm x Bottom 38 mm  
 U Seal / Canvas / PU  
 Telescopic



**15/20 - TON 26"**

Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 20.25" (514 mm) Horned Tube  
 Piston Size : OD 87 mm x ID 76 mm  
 Length : 19.5" (495mm) Horned Tube  
                   micro finished grinding  
                   hard chrome plated  
 Ram : OD 58.5 mm  
 Length : 20" (508 mm)micro finished  
                   hard chrome plated  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**15/20 - TON 33"**

OD 127 mm x ID 111 mm  
 27.25" (692 mm) Horned Tube  
 OD 87 mm x ID 76 mm  
 26" (660 mm) Horned Tube  
                   micro finished grinding  
                   hard chrome plated  
 OD 58.5 mm  
 26.5" (673 mm)micro finished  
                   hard chrome plated  
 33" (838 mm)  
 Top 32.5 mm x Bottom 38 mm  
 U Seal / Canvas / PU  
 Telescopic



- |   |   |
|---|---|
| 01 - Male & Female Valve<br>(a) Only Male, (b) Only Female  | 08 - Inner Thread Nipple  |
| 02 - Quick Relier Valve (QRC)<br>(a) Only Male, (b) Only Female   | 09 - Joint Nipple   |
| 03 - Dust Cap & Plug set<br>(a) Only Cap, (b) Only Dust   | 10 - Copper Vocer For Any Tractor   |
| 04 - Benjo 'T'  | 11 - Oil Seal Set-Canwas  |
| 05 - Extra Nipple For Any Tractor<br>(a) Eicher & Sonalika Tractor<br>(b) Escort Tractor<br>(c) HMT Tractor | 12 - Oil Seal Set-Robber  |
| 06 - Benjo Bolt (Any Tractor)   | 13 - 'O' Ring Set   |
| 07 - Outer Thread Nipple  | 14 - Oil Seal for Double Action cylinder  |
|   | 15 - Oil Seal for 15 Ton Hi-speed cylinder  |
|   | 16 - Tractor Steel pipe Any Tractor   |
|   | 17 - Hydraulic Hose pipe For Tractor Trailer,<br>Dumper, Loader, JCB, Hitachi and as per<br>Requirement |






## Our Products

- |                                |                              |
|--------------------------------|------------------------------|
| 1 Bucket Ram, Tube, Piston     | 5 Slew Ram, Tube, Piston     |
| 2 Dipper Ram, Tube, Piston     | 6 Lift Ram, Tube, Piston     |
| 3 Stabilizer Ram, Tube, Piston | 7 Shovel Ram, Tube, Piston   |
| 4 Boom Ram, Tube, Piston       | 8 Steering Ram, Tube, Piston |

And all JCB Parts as per Requirements



## Application



Tractor Trolley Bearing - 32213,32214,32215,32216,33019,3932  
MS Socket All Size As per Requirement

Rakesh Jogani  
94083 11046

Mohit Khatrani  
78784 09888

Rohit Moliya  
96388 81624

# Jay Bhojalram Enterprise

Survey No. 36, Plot No. 23, Nr. Patel Chowk,  
Gondal Road, At.- Vavdi. RAJKOT-360 005.

Email : [jaybhojalramenterprise@gmail.com](mailto:jaybhojalramenterprise@gmail.com)